

Steel Housings for Fire Control Panels „Solution F1“

Housing A : max. 6 loops / 24 conventional spurs

B01400-00



(Photo of housing A1 incl. FCP „Solution F1-6“)

Description

Housing A1 for the F1 system, space for max. 6 loops / 24 conventional spurs and 2 pcs. 18 Ah / 12 V batteries

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6"
- Housing cover for 4HE touch control panel
- Key lockable

Technical specifications :

Material : steel, RAL 7035
 Space for batteries : max. 18 Ah / 24 V
 Dimensions : 490 x 540 x 158 mm
 (H x W x D)

VdS No. : G 205 024

B01405-00



(Photo of housing A2 incl. FCP „Solution F1-6“ and zone LEDs)

Housing A2 for the F1 system, cover for max. 96 zone LEDs, space for max. 6 loops / 24 conventional spurs and 2 pcs. batteries 18 Ah / 12 V

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6"
- Housing cover for 4HE touch control panel as well as for an additional 4HE front plate with max. 96 LEDs of zone alarms
- Key lockable

Technical specifications :

Material : steel, RAL 7035
 Space for batteries : max. 18 Ah / 24 V
 Dimensions : 490 x 540 x 243 mm
 (H x W x D)

VdS No. : G 205 024

Housing B : max. 12 loops / 48 conventional spurs

B01410-00



(Photo of housing B1 incl. FCP „Solution F1-18“)

Description

Housing B1 for the F1 system, space for max. 12 loops / 48 conventional spurs and 2 pcs. batteries 40 Ah / 12 V

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6" or "Solution F1-18"
- Housing cover for 4HE touch control panel
- Key lockable

Technical specifications :

Material : steel, RAL 7035
 Space for batteries : max. 40 Ah / 24 V
 Dimensions : 540 x 540 x 243 mm
 (H x W x D)

VdS No. : G 205 024

B01415-00



(Photo of housing B2 incl. FCP „Solution F1-18“ and zone LEDs)

Housing B2 for the F1 system, cover for max. 96 zone LEDs, space for max. 12 loops / 48 conventional spurs and 2 pcs. batteries 40 Ah / 12 V

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6" or "Solution F1-18"
- Housing cover for 4HE touch control panel as well as for an additional 4HE front plate with max. 96 LEDs of zone alarms
- Key lockable

Technical specifications :

Material : steel, RAL 7035
 Space for batteries : max. 40 Ah / 24 V
 Dimensions : 540 x 540 x 243 mm
 (H x W x D)

VdS No. : G 205 024

Housing C : max. 18 loops / 72 conventional spurs

B01420-00

Description

Housing C1 for the F1 system, space for max. 18 loops / 72 conventional spurs and 2 pcs. batteries 65 Ah / 12 V

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6" or "Solution F1-18"
- Housing cover for 4HE touch control panel
- Key lockable

Technical specifications :

Material : steel, RAL 7035
Space for batteries : max. 65 Ah / 24 V
Dimensions : 750 x 540 x 243 mm
(H x W x D)

VdS No. : G 205 024

B01425-00

Housing C2 for the F1 system, cover for max. 192 zone LEDs, space for max. 18 loops / 72 conventional spurs and 2 pcs. batteries 65 Ah / 12 V

- without electronics
- suitable to fit in a standard configuration of the "Solution F1-6" or "Solution F1-18"
- Housing cover for 4HE touch control panel as well as for two additional 4HE front plates with max. 192 LEDs of zone alarms
- Key lockable

Technical specifications :

Material : steel, RAL 7035
Space for batteries : max. 65 Ah / 24 V
Dimensions : 750 x 540 x 243 mm
(H x W x D)

VdS No. : G 205 024